

leonlux®



慈溪市乐诺照明科技有限公司
CIXI LEONLUX TECHNOLOGY CO., LTD.
No.36 Xujia,Yiyuan Village,Zonghan Street,Cixi 315300,China
<http://www.leonlux.net> leon@leonlux.net
tel: +86 13606740326 fax: +86 574 63210667

OUTDOOR
2018
CIXI LEONLUX TECHNOLOGY CO.,LTD.

How To Read The Product Code

UHX XX XXX

Uhigh Lighting Key Material Product Category Product No.

Example:

UH1 15 310

Uhigh Lighting Key Material aluminium Product Category family lighting Product No. 310


Key material code list

- 1 - aluminium
- 2 - stainless steel
- 3 - plastic
- 4 - resin or stone
- 5 - glass or crystal
- 6 - iron, zinc alloy or galvanised steel
- 7 - wood
- 8 - copper
- 9 - others


Product category list

- 01 - wall lighting
- 02 - spotlight or floodlight
- 03 - brick or step light
- 04 - bulkhead
- 05 - ground light or decklight
- 06 - bollard
- 07 - classical lantern
- 08 - low voltage garden light
- 09 - solar light
- 10 - underwater light
- 11 - street or urban light
- 12 - portable worklight
- 13 - lighting accessories
- 14 - striplight
- 15 - family lighting
- 16 - camera security light






UH101332
 AL+PC LED 230V ± IP65 CE
 2 x 5w COB LED
 600 Lumen
 3000K / 4000K / 6000K



UH101333
 AL+PC LED 230V ± IP65 CE
 2 x 9w COB LED
 1000 Lumen
 3000K / 4000K / 6000K






UH304101

PC+ABS LED AC 230V IP65 IK10 CE

8w SMD LED
520 Lumen
3000K / 4000K / 6000K



UH304101-A

PC+ABS LED AC 110-240V IP65 IK10 CE

9w SMD LED, c/w Driver, 110~240V
650 Lumen
3000K / 4000K / 6000K



UH304102

PC+ABS LED AC 230V IP65 IK10 CE

13w SMD LED
970 Lumen
3000K / 4000K / 6000K



UH304102-A

PC+ABS LED AC 110-240V IP65 IK10 CE


14w SMD LED, c/w Driver, 110~240V
1120 Lumen
3000K / 4000K / 6000K



UH304103

PC+ABS LED AC 230V IP65 IK10 CE

18w SMD LED
1100 Lumen
3000K / 4000K / 6000K



ROSS
Cixi Leonlux Technology Co., Ltd. www.leonlux.net



BLACK



WHITE



DARK GREY



SILVER



UH304104

PC+ABS LED AC 230V IP65 IK10 CE

9w SMD LED
550 Lumen
3000K / 4000K / 6000K



UH304104-A

PC+ABS LED 110-240V IP65 IK10 CE

12w SMD LED, c/w Driver, 110--240V
750 Lumen
3000K / 4000K / 6000K



UH304105

PC+ABS LED 230V IP65 IK10 CE

18w SMD LED
1100 Lumen
3000K / 4000K / 6000K







UH304112

PC+ABS LED 230V IP65 IK08 CE

8w SMD LED
600 Lumen
3000K / 4000K / 6000K




UH304113

PC+ABS LED 230V IP65 IK08 CE

18w SMD LED
1300 Lumen
3000K / 4000K / 6000K





UH101301


AL+PC E27 230V ± P44 CE

E27 Max. 60w

UH101301-A

AL+PC LED 230V ± P44 CE

7w SMD LED Module
670 Lumen
3000K / 4000K / 6000K



UH101302

AL+PC E27 230V ± P44 CE

E27 Max. 60w

UH101302-A

AL+PC LED 230V ± P44 CE

7w SMD LED Module
670 Lumen
3000K / 4000K / 6000K





UH101316


ST+GL E27 230V P44 CE

E27 Max.60w

UH101316-A

ST+GL LED 230V P44 CE

7w SMD LED Module
670 Lumen
3000K / 4000K / 6000K



UH101303

ST+GL E27 230V P44 CE


E27 Max.60w

UH101303-A

ST+GL LED 230V P44 CE

7w SMD LED Module
670 Lumen
3000K / 4000K / 6000K

FISCHER




UH115101

AL LED 230V IP65 CE

16w COB LED
1400 lumen
3000K / 4000K / 6000K

PETERS






UH101104

AL+PC LED 230V ⚡ IP65 CE

12w COB LED
800 Lumen
3000K / 4000K / 6000K




UH101105

AL+PC LED 230V ⚡ IP65 CE


6w COB LED
500 Lumen
3000K / 4000K / 6000K





UH101305


AL+PC LED 230V ⊕ IP65 CE
 9w SMD LED
 800 lumen
 3000K / 4000K / 6000K



UH101306

AL+GL E27 230V ⊕ IP44 CE
 E27 Max.60w






UH101307

AL+PC LED 230V IP65 CE


12w SMD LED
650 lumen
3000K / 4000K / 6000K






UH101308

AL+PC LED 230V ± IP65 CE
12w SMD LED
650 Lumen
3000K / 4000K / 6000K



UH101329
AL+PC LED 230V IP65 CE
13w SMD LED
650 Lumen
3000K / 4000K / 6000K





UH101330

AL+PC LED 230V IP65 CE

9w SMD LED
400 Lumen
3000K / 4000K / 6000K




UH101331

AL+PC LED 230V IP65 CE

13w SMD LED
600 Lumen
3000K / 4000K / 6000K






UH101309
 AL+PC LED 230V IP44 CE
 9w SMD LED
 600 lumen
 3000K / 4000K / 6000K

HATTER







UH115311

AL+PC LED 230V P44 CE

12w SMD LED
900 lumen
3000K / 4000K / 6000K




UH115312

AL+PC LED 230V P44 CE

2 x 12w SMD LED
1800 lumen
3000K / 4000K / 6000K






UH115313

AL+PC LED 230V P65 CE

12w SMD LED
900 lumen
3000K / 4000K / 6000K






UH115314

AL+PC LED 230V IP44 CE

12w SMD LED
900 Lumen
3000K / 4000K / 6000K



UH115315

AL+PC LED 230V IP44 CE

2 x 12w SMD LED
1800 Lumen
3000K / 4000K / 6000K






UH101336

AL+PC LED 230V ± IP65 CE

9w SMD LED
720 Lumen
3000K / 4000K / 6000K






UH101337

AL+PC LED 230V IP65 CE

9w SMD LED
720 Lumen
3000K / 4000K / 6000K






UH115102

AL+PC LED 230V P44 CE
 12w COB LED
 1050 Lumen
 3000K / 4000K / 6000K





O H M
Cixi Leontux Technology Co., Ltd. www.leontux.net



UH102102
 AL+GL LED 230V IP65 CE
 12w COB LED
 900 Lumen
 3000K / 4000K / 6000K
Head Angle
 350° 190°






UH108011

AL+GL LED 18V 1000LM IP65 CE

9w COB LED
900 Lumen
3000K / 4000K / 6000K
Input: 18V Max 600mA
E-lemon driver EL10W0500V1 recommended



UH108012

AL+GL LED 36V 1800LM IP65 CE


18w COB LED
1800 Lumen
3000K / 4000K / 6000K
Input: 36V Max 700mA
E-lemon driver EL20W0500V1 recommended




SCOPE




Slidable & Changeable Visor



UH108013



UH108014




UH108015

AL+GL LED 18V Max 700mA Max IP65 CE

9w COB LED
900 Lumen
3000K / 4000K / 6000K
Input: 18V Max 600mA
E-lemon driver EL10W0500V1 recommended



Optional Lens



UH108016



UH108017



UH108018

AL+GL LED 36V Max 700mA Max IP65 CE

18w COB LED
1800 Lumen
3000K / 4000K / 6000K
Input: 36V Max 700mA
E-lemon driver EL20W0500V1 recommended



Optional Lens



SCOPE



UH302003

PC+ABS LED 230V IP65 CE

6w SMD LED
450 Lumen
3000K / 4000K / 6000K




UH302003-A

PC+ABS GU10 LED 230V IP65 CE

GU10 LED Max. 8w






UH102006

AL+GL LED 230V ± IP65 CE

6w COB LED
550 lumen
3000K / 4000K / 6000K



UH102001

AL+GL GU10 230V ± IP65 CE

GU10 Max. 50w

GUNTER




Focus
Adjustable



TELLER

Focus Adjustable




UH102101

AL+GL LED 230V IP65 CE

9w COB LED
800 Lumen
3000K / 4000K / 6000K


Fixed Lens



UH102101-A

AL+GL LED 230V IP65 CE

9w COB LED
800 Lumen
3000K / 4000K / 6000K



30
Ø128


UH303501

PC LED 230V IP65 CE

2w SMD LED
180 Lumen
3000K / 4000K / 6000K



EMILY




UH303502

PC LED 230V IP65 CE

3w SMD LED
270 lumen
3000K / 4000K / 6000K



ALICE



UH303503


PC LED 230V P65 CE

5w SMD LED
400 lumen
3000K / 4000K / 6000K






Surface Mounted Ground Light



UH105101

AL+PC LED 230V ± IP67 CE


1 x 1w LED
100 Lumen
3000K / 4000K / 6000K



UH105102

AL+PC LED 230V ± IP67 CE

2 x 1w LED
200 Lumen
3000K / 4000K / 6000K




UH105103

AL+PC LED 230V ± IP67 CE


4 x 1w LED
400 Lumen
3000K / 4000K / 6000K




GRANT



UH201101
 SS+PC LED 230V IP65 CE
 6w SMD LED
 550 Lumen
 3000K / 4000K / 6000K



UH201102
 SS+PC LED 230V IP65 CE
 9w SMD LED
 800 Lumen
 3000K / 4000K / 6000K



UH201103
 SS+PC LED 230V IP65 CE
 12w SMD LED
 1150 Lumen
 3000K / 4000K / 6000K





UH115317

AL+PC E27 230V P44 CE


E27 Max.60w



UH115318

AL+PC E27 230V P44 CE


E27 Max.60w



UH115319

AL+PC E27 230V P44 CE

E27 Max.60w



UH115320

AL+PC E27 230V P44 CE

E27 Max.60w



UH115317-A

AL+PC LED 230V P44 CE

12w SMD LED
1100 Lumen
3000K / 4000K / 6000K

UH115318-A

AL+PC LED 230V P44 CE

12w SMD LED
1100 Lumen
3000K / 4000K / 6000K

UH115319-A

AL+PC LED 230V P44 CE

12w SMD LED
1100 Lumen
3000K / 4000K / 6000K

UH115320-A

AL+PC LED 230V P44 CE

12w SMD LED
1100 Lumen
3000K / 4000K / 6000K

CAESAR



Cixi Leontux Technology Co., Ltd.

CAESAR
Cixi Leontux Technology Co., Ltd. www.caesar.net



UH115321

AL+PC E27 230V ± IP44 CE

E27 Max.60w

UH115321-A

AL+PC LED 230V ± IP44 CE

12w SMD LED
1100 Lumen
3000K / 4000K / 6000K



UH115322

AL+PC E27 230V ± IP44 CE

E27 Max.60w

UH115322-A

AL+PC LED 230V ± IP44 CE

12w SMD LED
1100 Lumen
3000K / 4000K / 6000K



UH115324

AL+PC E27 230V ± IP44 CE

2 x E27 Max.60w

UH115324-A

AL+PC LED 230V ± IP44 CE

12w SMD LED
1100 Lumen
3000K / 4000K / 6000K



UH115325

AL+PC E27 230V ± IP44 CE

3 x E27 Max.60w

UH115325-A

AL+PC LED 230V ± IP44 CE

12w SMD LED
1100 Lumen
3000K / 4000K / 6000K



Smart Security Light




UH116351-1



UH116351-2



UH116351-3



UH116351

AL+GL E27 230V IP54 CE

E27 Max. 60w

Motion Sensor: 120° 10m

Time Adjustable: 10''~4'

Camera: 110° 50m



E27 LED Bulb Suggested

Wifi Support

All Time Immediate Recording

Mobile Phone Monitoring & Live View

Motion Detecting

720P 110° HD Wide-angle

Review Anytime

Support Cloud Storage

SD 8G 3 Days Saving With Auto Covering

Power Motion Sensor

IP54

Camera Adjustable

HIKVISION
海康威视

ezviz
萤石

授权声明：本产品杭州海康威视数字技术股份有限公司授权使用海康威视电子技术，产品及部件在相关产品中的应用，与本产品相关的电子技术均归海康威视所有。特此声明。
Copyright: The lighting products are authorized exclusively to use the electronic security technologies, system and components of HIKVISION by Hangzhou Hikvision Digital Technology Co., Ltd.
All copyrights related to electronic security & internet technologies of the lighting products belong to Hangzhou Hikvision Digital Technology Co., Ltd.

Cixi Leontux Technology Co., Ltd.



JAMES

JAMES
Cixi Leontux Technology Co., Ltd. | www.leontux.net



Smart Security Light



Pendant Version Available

UH116352

AL+PC LED 230V IP54 CE

40w SMD LED
2800 Lumen
3000K - 5700K Adjustable
Dimmable

Camera: 110° 50m
Remote Control Included

- LED 40W SMD
- Wifi Support
- All Time Immediate Recording
- Mobile Phone Monitoring & Live View
- Infrared Night Vision
- 720P 110°

- Review Anytime
- Support Cloud Storage
- 3 Days Saving With Auto Covering
- IP54
- Camera Adjustable
- Remote Control



授权声明：本产品杭州海康威视数字技术有限公司授权使用海康威视电子技术，产品及其部件在照像设备中的应用，与本产品相关的电子技术均归海康威视所有。特此声明。
Copyright: The lighting products are authorized exclusively to use the electronic security technologies, system and components of HIKVISION by Hangzhou Hikvision Digital Technology Co., Ltd.
All copyrights related to electronic security & internet technologies of the lighting products belong to Hangzhou Hikvision Digital Technology Co., Ltd.


Cixi Leonlux Technology Co., Ltd.



CLERK



Smart Security Light




UH116354

AL+PC LED 230V IP54 CE

20w COB LED
1800 Lumen
3000K / 4000K / 6500K

Motion Sensor: 120° 10m
Time Adjustable: 10''-4'
Camera: 110° 50m



LED 20W COB

Wifi Support

All Time Immediate Recording

Mobile Phone Monitoring & Live View

Infrared Night Vision

Motion Detecting

720P 110° HD Wide-angle 110°

Review Anytime

Support Cloud Storage

SD 8G 3 Days Saving With Auto Covering

Power Motion Sensor

IP54 IP54

HIKVISION
海康威视

ezviz
萤石

授权声明：本产品杭州海康威视数字技术股份有限公司授权使用海康威视电子技术，产品及部件在相关产品中的应用，与本产品相关的电子技术均归海康威视所有。特此声明。
Copyright: The lighting products are authorized exclusively to use the electronic security technologies, system and components of HIKVISION by Hangzhou Hikvision Digital Technology Co., Ltd.
All copyrights related to electronic security & Internet technologies of the lighting products belong to Hangzhou Hikvision Digital Technology Co., Ltd.

Cixi Leonlux Technology Co., Ltd.




ALBERT

ALBERT
Cixi Leonlux Technology Co., Ltd. | www.leonlux.net

90A 01/02/03/05

FEATURES


- Die-casting aluminium body + clear / frosted glass
- LED: SMD2835
- 220-240V, 50Hz
- IP65



90A 01S/02S/03S/05S

FEATURES

- Die-casting aluminium body + clear / frosted glass
- With unique designed & rotated sensor
- LED: SMD2835
- 220-240V, 50Hz
- IP44



Item.	Watt	Lumen	LED Type	CRI	PF	CCT
90A01	10W	800LM	SMD2835	>80Ra	≥98%	3000-6500K
90A02	20W	1500LM	SMD2835	>80Ra	≥98%	3000-6500K
90A03	30W	2400LM	SMD2835	>80Ra	≥98%	3000-6500K
90A05	50W	4000LM	SMD2835	>80Ra	≥98%	3000-6500K

Item.	Watt	Lumen	LED Type	CRI	PF	CCT
90A01S	10W	800LM	SMD2835	>80Ra	≥98%	3000-6500K
90A02S	20W	1500LM	SMD2835	>80Ra	≥98%	3000-6500K
90A03S	30W	2400LM	SMD2835	>80Ra	≥98%	3000-6500K
90A05S	50W	4000LM	SMD2835	>80Ra	≥98%	3000-6500K



Material List

SS - Stainless Steel	GL - Glass
ST - Steel	RS - Resin / Stone Effect
AL - Aluminium	PE - Polyethylene
CAL - Galvanised Steel	PP - Polypropylene
CU - Copper	PMMA - Polymethyl Methacrylate
TK - Teak Wood	ABS - Acrylonitrile-Butadiene-Styrene
PC - Polycarbonate	PA - Polyamide / Nylon
PBT - Polybutylene Terephthalate	

Colour Swatch

01 Black		02 White		03 Black/Gold		04 Black/Silver	
05 Black/Green		06 White/Gold		07 Matt Rust		08 Stainless Steel	
09 Stone Effect		10 Matt Silver		11 Smooth Silver		12 Dark Grey	
13 Brown		14 Glass Effect		15 Copper Effect		16 Gun Metal	
17 Wood Effect		18 Teak Wood		19 Bronze		20 Galvanised	
21 Green							

Name	Code	Page
OLO	UH101332	01/02
	UH101333	01/02
ROSS	UH304101 / UH304101-A	03/04
	UH304102 / UH304102-A	03/04
	UH304103	03/04
OWEN	UH304104 / UH304104-A	05/06
	UH304105	05/06
COIN	UH304112	07/08
	UH304113	07/08
BELL	UH101301 / UH101301-A	09/10
CLARK	UH101302 / UH101302-A	09/10
FISCHER	UH101316 / UH101316-A	11/12
	UH101303 / UH101303-A	11/12
PETERS	UH115101	13/14
WELLS	UH101104	15/16
	UH101105	15/16
HALS	UH101305	17/18
	UH101306	17/18
BRAD	UH101307	19/20
BRADY	UH101308	21/22
DON	UH101329	23/24
PHON	UH101330	25/26
	UH101331	25/26
HATTER	UH101309	27/28
BOB	UH115310	29/30
	UH115311	31/32
	UH115312	31/32
TIM	UH115313	33/34
	UH115314	35/36
	UH115315	35/36
ARC	UH101336	37/38
	UH101337	39/40
LEVEL	UH115102	41/42
OHM	UH102102	43/44
SCOPE	UH108011	45/46
	UH108012	45/46
	UH108013 / UH108016	47/48
	UH108014 / UH108017	47/48
	UH108015 / UH108018	47/48
GOAL	UH302003 / UH302003-A	49/50
GUNTER	UH102006	51/52
	UH102001	51/52
TELLER	UH102101 / UH102101-A	53/54
EMILY	UH303501	55/56
ALICE	UH303502	57/58
ALISA	UH303503	59/60
GRANT	UH105101	61/62
	UH105102	61/62
	UH105103	61/62
SCOTT	UH201101	63/64
	UH201102	63/64
	UH201103	63/64
CAESAR	UH115317 / UH115317-A	65/66
	UH115318 / UH115318-A	65/66
	UH115319 / UH115319-A	65/66
	UH115320 / UH115320-A	65/66
	UH115321 / UH115321-A	67/68
	UH115322 / UH115322-A	67/68
	UH115324 / UH115323-A	67/68
	UH115325 / UH115324-A	67/68
JAMES	UH116351-1	69/70
	UH116351-2	69/70
	UH116351-3	69/70
	UH116351	69/70
CLERK	UH116352	71/72
ALBERT	UH116354	73/74
E-lemo	LED DRIVER IP67	75/76